

# **Exhibit B**



US008812993B2

(12) **United States Patent**  
**Goertz**

(10) **Patent No.:** **US 8,812,993 B2**  
(45) **Date of Patent:** **Aug. 19, 2014**

(54) **USER INTERFACE**

(75) Inventor: **Magnus Goertz**, Lidingo (SE)

(73) Assignee: **Neonode Inc.**, Santa Clara, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/310,755**

(22) Filed: **Dec. 4, 2011**

(65) **Prior Publication Data**

US 2012/0094723 A1 Apr. 19, 2012

**Related U.S. Application Data**

(63) Continuation of application No. 10/315,250, filed on Dec. 10, 2002, now Pat. No. 8,095,879.

(51) **Int. Cl.**

**G06F 3/00** (2006.01)

**G06F 3/0481** (2013.01)

**G06F 3/0488** (2013.01)

(52) **U.S. Cl.**

CPC ..... **G06F 3/0488** (2013.01); **G06F 3/0481** (2013.01)

USPC ..... **715/863**; 715/764; 715/864

(58) **Field of Classification Search**

USPC ..... 715/863, 864, 764  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,243,879 A 1/1981 Carroll et al.  
4,301,447 A 11/1981 Funk et al.  
4,790,028 A 12/1988 Ramage  
4,847,606 A 7/1989 Beiswenger

5,036,187 A 7/1991 Yoshida et al.  
5,053,758 A 10/1991 Cornett et al.  
5,194,863 A 3/1993 Barker et al.  
5,283,558 A 2/1994 Chan  
5,305,435 A \* 4/1994 Bronson ..... 715/777  
5,406,307 A \* 4/1995 Hirayama et al. .... 715/800  
5,463,725 A 10/1995 Henckel et al.  
5,561,758 A 10/1996 Hocker et al.  
5,577,733 A 11/1996 Downing  
5,594,471 A \* 1/1997 Deeran et al. .... 345/173  
5,603,053 A \* 2/1997 Gough et al. .... 710/5  
5,612,719 A 3/1997 Beernink et al.  
5,618,232 A 4/1997 Martin  
5,644,628 A \* 7/1997 Schwarzer et al. .... 379/93.19

(Continued)

**FOREIGN PATENT DOCUMENTS**

EP 0 330 767 B1 9/1989  
EP 0513694 A2 11/1992

(Continued)

**OTHER PUBLICATIONS**

Carlson, Jeff, Visual Quickstart Guide Palm Organizers. Peachpit Press. 2000. Berkeley, CA. pp. xiii, 12, 25, 26, 28-30, 40, 47, 246 and 253.

(Continued)

*Primary Examiner* — Ryan Pitaro


(74) *Attorney, Agent, or Firm* — Soquel Group LLC

(57)

**ABSTRACT**

A non-transitory computer readable medium storing computer program code which, when executed by a mobile handheld device that has a touch sensitive display, instructs the device (i) to display a notification of an incoming phone call, and (ii) to accept the call in response to a multi-step operation comprising an object touching the touch sensitive display, and the object gliding along the touch sensitive display in a specific direction.

**8 Claims, 4 Drawing Sheets**



## US 8,812,993 B2

Page 2

(56)

## References Cited

## U.S. PATENT DOCUMENTS

5,745,116	A	4/1998	Pisutha-Arnond	
5,748,185	A	5/1998	Stephan et al.	
5,785,439	A	7/1998	Bowen	
5,821,930	A	10/1998	Hansen	
5,821,933	A	10/1998	Keller et al.	
5,825,352	A	10/1998	Bisset et al.	
5,889,236	A	3/1999	Gillespie et al.	
5,898,434	A	4/1999	Small et al.	
5,900,875	A	5/1999	Haitani et al.	
5,907,327	A *	5/1999	Ogura et al.	715/764
5,914,709	A	6/1999	Graham et al.	
5,943,039	A	8/1999	Anderson et al.	
5,943,044	A	8/1999	Martinelli et al.	
5,956,030	A	9/1999	Conrad et al.	
5,988,645	A	11/1999	Downing	
6,037,937	A	3/2000	Beaton et al.	
6,052,279	A	4/2000	Friend et al.	
6,085,204	A	7/2000	Chijiwa et al.	
6,088,032	A *	7/2000	Mackinlay	715/848
6,292,179	B1	9/2001	Lee	
6,304,261	B1	10/2001	Shields et al.	
6,310,610	B1	10/2001	Beaton et al.	
6,340,979	B1	1/2002	Beaton et al.	
6,346,935	B1	2/2002	Nakajima et al.	
6,356,287	B1	3/2002	Ruberry et al.	
6,529,920	B1	3/2003	Arons et al.	
6,542,191	B1	4/2003	Yonezawa	
6,549,217	B1 *	4/2003	De Greef et al.	715/745
6,573,883	B1 *	6/2003	Bartlett	345/156
6,597,345	B2	7/2003	Hirshberg	
6,618,063	B1	9/2003	Kurtenbach	
6,639,584	B1	10/2003	Li	
6,646,633	B1	11/2003	Nicolas	
6,664,983	B2	12/2003	Ludolph	
6,690,365	B2	2/2004	Hinckley et al.	
6,690,387	B2	2/2004	Zimmerman et al.	
6,707,449	B2	3/2004	Hinckley et al.	
6,727,917	B1	4/2004	Chew et al.	
6,734,883	B1	5/2004	Wynn et al.	
6,757,001	B2 *	6/2004	Allport	715/840
6,757,002	B1 *	6/2004	Oross et al.	715/864
6,765,559	B2	7/2004	Hayakawa	
6,788,292	B1	9/2004	Nako et al.	
6,812,940	B2 *	11/2004	Arnold	715/817
6,833,827	B2	12/2004	Lui et al.	
6,874,683	B2	4/2005	Keronen et al.	
6,925,611	B2	8/2005	SanGiovanni	
6,988,246	B2	1/2006	Kopitzke et al.	
7,006,077	B1	2/2006	Uusimaki	
7,007,239	B1 *	2/2006	Hawkins et al.	715/780
7,030,861	B1	4/2006	Westerman et al.	
7,046,232	B2 *	5/2006	Inagaki et al.	345/158
7,155,683	B1 *	12/2006	Williams	715/816
7,159,120	B2 *	1/2007	Muratov et al.	713/182
7,159,763	B2	1/2007	Yap et al.	
7,199,786	B2	4/2007	Suraqui	
7,225,408	B2	5/2007	O'Rourke	
7,231,231	B2 *	6/2007	Kokko et al.	455/566
7,283,845	B2 *	10/2007	De Bast	455/566
7,286,063	B2	10/2007	Gauthey et al.	
7,304,638	B2	12/2007	Murphy	
7,343,565	B2 *	3/2008	Ying et al.	715/780
7,441,196	B2	10/2008	Gottfurcht et al.	
7,450,114	B2	11/2008	Anwar	
7,665,043	B2 *	2/2010	Kho	715/864
7,818,691	B2 *	10/2010	Irvine	715/856
7,880,724	B2	2/2011	Nguyen et al.	
8,120,625	B2	2/2012	Hinckley	
8,127,141	B2	2/2012	Hypponen	
2001/0000668	A1 *	5/2001	Bodnar	345/339
2001/0002694	A1	6/2001	Nakazawa et al.	
2001/0017934	A1 *	8/2001	Paloniemi et al.	382/107
2001/0022579	A1	9/2001	Hirabayashi	
2001/0026268	A1	10/2001	Ito	
2001/0028344	A1	10/2001	Iwamoto et al.	

2001/0028365	A1 *	10/2001	Ludolph	345/764
2001/0030641	A1	10/2001	Suzuki	
2001/0043189	A1 *	11/2001	Brisebois et al.	345/156
2001/0043198	A1	11/2001	Ludtke	
2001/0055006	A1	12/2001	Sano et al.	
2002/0002326	A1	1/2002	Causey, III et al.	
2002/0015064	A1 *	2/2002	Robotham et al.	345/863
2002/0027549	A1	3/2002	Hirshberg	
2002/0029341	A1 *	3/2002	Juels et al.	713/184
2002/0046353	A1	4/2002	Kishimoto	
2002/0054153	A1 *	5/2002	Arnold	345/810
2002/0060699	A1 *	5/2002	D'Agostini	345/783
2002/0063696	A1	5/2002	Kubo et al.	
2002/0075244	A1	6/2002	Tani et al.	
2002/0109677	A1	8/2002	Taylor	
2002/0135619	A1 *	9/2002	Allport	345/810
2002/0171691	A1	11/2002	Curran et al.	
2002/0173300	A1 *	11/2002	Shtivelman et al.	455/418
2002/0191029	A1 *	12/2002	Gillespie et al.	345/810
2003/0013483	A1 *	1/2003	Ausems et al.	455/556
2003/0016253	A1 *	1/2003	Aoki et al.	345/863
2003/0043207	A1	3/2003	Duarte	
2003/0076306	A1	4/2003	Zadesky et al.	
2003/0095102	A1 *	5/2003	Kraft et al.	345/168
2003/0122787	A1	7/2003	Zimmerman et al.	
2003/0206162	A1 *	11/2003	Roberts	345/173
2004/0001101	A1 *	1/2004	Trajkovic et al.	345/781
2004/0021643	A1	2/2004	Hoshino et al.	
2004/0021681	A1 *	2/2004	Liao	345/702
2004/0100510	A1	5/2004	Milic-Frayling et al.	
2004/0119763	A1 *	6/2004	Mizobuchi et al.	345/863
2004/0125143	A1	7/2004	Deaton et al.	
2004/0141010	A1	7/2004	Fitzmaurice et al.	
2005/0035956	A1	2/2005	Sinclair et al.	
2005/0253818	A1	11/2005	Nettamo	
2007/0263822	A1 *	11/2007	Chang et al.	379/202.01
2009/0285383	A1 *	11/2009	Tsuei	379/242

## FOREIGN PATENT DOCUMENTS

EP	0618528	A1	10/1994
EP	0703525	A1	3/1996
WO	8600446	A1	1/1986
WO	8600447	A1	1/1986

## OTHER PUBLICATIONS

Streitlmeier, Julie, "Palm m100." The Gadgeteer. 2000. <[http://www.the-gadgeteer.com/review/palm\\_m100\\_review](http://www.the-gadgeteer.com/review/palm_m100_review)> pp. 1-8.

Venolia et al., "T-Cube: A Fast, Self-Disclosing Pen-Based Alphabet." Apr. 24, 1994. pp. 265-270.

Dulberg, et al., An Imprecise Mouse Gesture for the Fast Activation of Controls. Interact 1999, pp. 1-8.

Pogue, David, Palm Pilot: The Ultimate Guide, 2nd Edition, 1998. O'Reilly and Associates, Inc. pp. 1-17.

C. Plaisant and D. Wallace, "Touchscreen toggle design", CHI '92 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, May 3-7, 1992, pp. 667-668, ACM New York, NY, USA.

Harrison, B. L., Fishkin, K. P., Gujar. A., Mochon, C. and Want, R., Squeeze Me, Hold Me, Tilt Me! An Exploration of Manipulative User Interfaces, Proceeding of the CHI '98 Conference on Human Factors in Computing Systems, ACM, Los Angeles, CA, Apr. 18-23, 1998, pp. 17-24.

Kurtenbach, G. P., Sellen, A. J. and Buxton, W. A. S., An Empirical Evaluation of Some Articulatory and Cognitive Aspects of Marking Menus, Human-Computer Interaction, vol. 8, Issue 1, L. Erlbaum Associates Inc., Hillsdale, NJ, Mar. 1993, pp. 1-23.

MacKenzie, I. S. and Soukoreff, R. W., Text Entry for Mobile Computing: Models and Methods, Theory and Practice, Human-Computer Interaction, L. Erlbaum Associates Inc. Hillsdale, NJ, 2002, vol. 17, pp. 147-198.

Mynatt, E. D., Igarashi, T., Edwards, W. K. and LaMarca, A., Flatland: New Dimensions in Office Whiteboards, Proceeding of the CHI '99 Conference on Human Factors in Computing Systems, ACM, New York, NY, May 15-20, 1999, pp. 346-353.

## US 8,812,993 B2

Page 3

(56)

## References Cited

## OTHER PUBLICATIONS

Bier, E. A., Fishkin, K., Pier, K. and Stone, M. C., A Taxonomy of See-Through Tools: The Video, Proceeding of the CHI '95 Mosaic of Creativity, ACM, New York, NY, May 7-11, 1995, pp. 411-412.

Bier, E. A., Stone, M. C., Fishkin, K., Buxton, W. and Baudel, T., A Taxonomy of See-Through Tools, Conference on Human Factors in Computing Systems, CHI '94, Boston, MA, ACM, New York, NY, Apr. 24-28, 1994, pp. 358-364.

Damm, C. H., Hansen, K. M. and Thomsen, M., Tool Support for Cooperative Object-Oriented Design: Gesture Based Modeling on an Electronic Whiteboard, Proceeding of the CHI '00 Conference on Human Factors in Computing Systems, ACM, New York, NY, Apr. 1-6, 2000, pp. 518-525.

Jermyn, I., Mayer, A., Monrose, F., Reiter, M. K. and Rubin, A. D., The Design and Analysis of Graphical Passwords, Proceedings of the 8th USENIX Security Symposium, Washington, D.C., USA, Aug. 23-26, 1999.

Kurtenbach, G. and Buxton, W., Gordon Kurtenbach and William Buxton, The Limits of Expert Performance Using Hierarchic Marking Menus, Proceedings from INTERCHI 93—Conference on Human Factors in Computing Systems, ACM, New York, NY, Apr. 24-29, 1993, pp. 482-487.

Pirhonen, A., Brewster, S. and Holguin, C., Gestural and Audio Metaphors as a Means of Control for Mobile Devices, Proceedings of the SIGCHI Conference on Human Factors in Computing Systems: Changing our World, Changing Ourselves, ACM New York, NY, pp. 291-298.

SwitchHack 1.62", Jan. 17, 2001, downloaded from <http://web.archive.org/web/200101170650/http://www.deskfree.com/switch-hack.html>.

swipe\_readme.txt, May 8, 2001, downloaded in swipe.zip from <http://web.archive.org/web/20010508013439/http://www.samsungshop.co.yu/palm/swipe.zip>.

"Desk Accessories", Oct. 18, 2000, downloaded from <http://web.archive.org/web/20001018025151/http://www.doublebang.com/resources/da.html>.

"Launch 'em 1.53", Dec. 11, 1998, downloaded from <http://www.5star-shareware.com/PDA/Palm/Utilities/lauchem.html>.

Pogue, David, Palm Pilot: The Ultimate Guide, 2nd Edition, 1999, O'Reilly and Associates, Inc., pp. 19, 27-36, 38-47, 80, 113, 494, 507, 509, 519-520.

Brad A. Myers, "Mobile Devices for Control", Mobile HCI 2002, F. Paterno (Ed.), LNCS 2411, pp. 1-8, 2002. SpringerVerlag, Berlin, Heidelberg.

Brad A. Myers, Kin Pou Lie and Bo-Chieh Yang, "Two-Handed Input Using a PDA and a Mouse", CHI '2000, Apr. 1-6, 2000, CHI Letters, vol. 2, Issue 1, pp. 41-48, 2000, ACM, New York, NY, USA.

Brad A. Myers, "Using Handhelds and PCs Together", Communications of the ACM, Nov. 2001, vol. 44, No. 11, pp. 34-41, ACM, New York, NY, USA.

Gordon Kurtenbach and William Buxton, "User Learning and Performance with Marking Menus", CHI '94 Proceedings of the SIGCHI Conference on Human factors in Computing Systems, pp. 258-264, ACM, New York, NY, USA.

Gordon Paul Kurtenbach, "The Design and Evaluation of Marking Menus", 1993. Doctoral Thesis, Graduate Department of Computer Science, University of Toronto.

David A. Carr, "Specification of Interface Interaction Objects", CHI '94 Proceedings of the SIGCHI Conference on Human factors in Computing Systems, pp. 372-378, 1994, ACM, New York, NY, USA.

David A. Carr, Ninad Jog, Harsha Prem Kumar, Marko Teittinen and Christopher Ahlberg, "Using Interaction Object Graphs to Specify

Graphical Widgets", Tech. Rep. ISR-TR-94-69, Sep. 1994, Institute for Systems Research, University of Maryland, College Park, MD.

Catherine Plaisant and Daniel Wallace, "Touchscreen Toggle Switches: Push or Slide? Design Issues and Usability Study", Tech. Rep. CAR-TR-521, Nov. 1990, Human-Computer Interaction Laboratory, Center for Automation Research, Dept. of Psychology, University of Maryland, College Park, MD.

Mark A. Tapia and Gordon Kurtenbach, "Some Design Refinements and Principles on the Appearance and Behavior of Marking Menus", UIST '95, pp. 189-195, ACM New York, NY, USA.

Michael McGuffin, Nicolas Burtnyk and Gordon Kurtenbach, "FaST Sliders: Integrating Marking Menus and the Adjustment of Continuous Values", Proc. Graphics Interface, May 2002, pp. 35-42.

Harrison, Beverly L., Fishkin, Kenneth P., Gujar, Anuj, Mochon, Carlos and Want, Roy, Squeeze Me, Hold Me, Tilt Me! An Exploration of Manipulative User Interfaces, Proceeding of the CHI '98 Conference on Human Factors in Computing Systems, Apr. 18-23, 1998, pp. 17-24, ACM, Los Angeles, CA.

Kurtenbach, Gordon P., Sellen, Abigail J. and Buxton, William A. S., An Empirical Evaluation of Some Articulatory and Cognitive Aspects of Marking Menus, Human-Computer Interaction, vol. 8, Issue 1, Mar. 1993, pp. 1-23, L. Erlbaum Associates Inc., Hillsdale, NJ.

MacKenzie, I. Scott and Soukoreff, William, Text Entry for Mobile Computing: Models and Methods, Theory and Practice, Human-Computer Interaction, 2002, vol. 17, pp. 147-198, L. Erlbaum Associates Inc., Hillsdale, NJ.

Mynatt, Elizabeth D., Igarashi, Takeo, Edwards, W. Keith and LaMarca, Anthony, Flatland: New Dimensions in Office Whiteboards, Proceeding of the CHI '99 Conference on Human Factors in Computing Systems, May 15-20, 1999, pp. 346-353, ACM, Pittsburgh, PA.

Bier, Eric A., Fishkin, Ken, Pier, Ken and Stone, Maureen C., A Taxonomy of See-Through Tools: The Video, Proceeding of the CHI '95 Mosaic of Creativity, May 7-11, 1995, pp. 411-412, ACM, Denver, CO.

Bier, Eric A., Stone, Maureen C., Fishkin, Ken, Buxton, William and Baudel, Thomas, A Taxonomy of See-Through Tools, Conference on Human Factors in Computing Systems, CHI 1994, Boston, MA, Apr. 24-28, 1994, Proceedings, pp. 358-364, ACM, New York, NY.

Damm, Christian Heide, Hansen, Klaus Marius and Thomsen, Michael, Tool Support for Cooperative Object-Oriented Design: Gesture Based Modeling on an Electronic Whiteboard, Proceeding of the CHI '00 Conference on Human Factors in Computing Systems, Apr. 1-6, 2000, pp. 518-525, ACM, New York, NY.

Jermyn, Ian, Mayer Alain, Monrose, Fabian, Reiter, Michael K. and Rubin, Aviel D., The Design and Analysis of Graphical Passwords, Proceedings of the 8th USENIX Security Symposium, Washington, D.C., USA, Aug. 23-26, 1999.

Kenwood KVT-911DVD Instruction Manual, 2001, Japan.

Kurtenbach, Gordon and Buxton, William, The Limits of Expert Performance Using Hierarchic Marking Menus, Proceedings from INTERCHI 93—Conference on Human Factors in Computing Systems, pp. 482-487, ACM, New York, NY.

Pirhonen, Antti, Brewster, Stephen and Holguin, Christopher, Gestural and Audio Metaphors as a Means of Control for Mobile Devices, Proceedings of the SIGCHI conference on Human factors in computing systems: Changing Our World, Changing Ourselves, pp. 291-298, ACM New York, NY.

Launch 'em 3.02, Oct. 8, 2001, Synergy Solutions Inc., pp. 1-20.

Launch 'em, Synergy Solutions Inc., Oct. 8, 2001.

\* cited by examiner




Fig. 1.




Fig. 3.




Fig. 5.




Fig. 2.







Fig. 4.







Fig. 10.




Fig. 11.






Fig. 12.



*Fig. 13.*



*Fig. 14.*



## US 8,812,993 B2

# 1

## USER INTERFACE

### PRIORITY REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 10/315,250, entitled USER INTERFACE FOR MOBILE HANDHELD COMPUTER UNIT, filed on Dec. 10, 2002 now U.S. Pat. No. 8,095,879 by inventor Magnus George Goertz.

### TECHNICAL FIELD

The present invention relates to a user interface for a mobile handheld computer unit, which computer unit comprises a touch sensitive area, and which touch sensitive area is divided into a menu area and a display area.

The computer unit is adapted to run several applications simultaneously and to present any active application on top of any other application on the display area.

The present invention also relates to an enclosure for a handheld computer unit

The present invention also relates to a computer readable medium. A computer program product with computer program code is stored within the computer readable medium, which code, when read by a computer, will make it possible for this computer to present a user interface according to the invention.

### DESCRIPTION OF BACKGROUND ART

Mobile handheld computers are known in various embodiments. One kind of handheld computer is the personal digital assistant (PDA), which is getting more and more powerful.

Another kind of handheld computer unit is the mobile phone, which also is getting more and more powerful. There are also examples of where the mobile phone and the PDA are merging into one unit.

A third kind of handheld computer is the laptop computer, which is getting smaller and smaller, even competing in size with the PDA's.

The need to manage more information has led the development towards new solutions regarding user interfaces and navigation. The PDA's and mobile phones are getting larger and larger in order to provide a user-friendly interface.

Since the users have gotten used to small handheld units, it is hard to move towards larger units. This has led to foldable keyboards, different kinds of joy sticks and different kinds of touch sensitive displays and pads intended to help in providing a user interface that is suitable for small handheld computer units.

### SUMMARY OF THE PRESENT INVENTION

#### Technical Problems

It is a problem to provide a user-friendly interface that is adapted to handle a large amount of information and different kinds of traditional computer-related applications on a small handheld computer unit.

It is a problem to provide a user interface that is simple to use, even for inexperienced users of computers or handheld devices.

It is a problem to provide a small handheld computer unit with an easily accessible text input function.

# 2

It is also a problem to provide a simple way to make the most commonly used functions for navigation and management available in the environment of a small handheld computer unit.

#### Solution

Taking these problems into consideration, and with the starting point from a user interface for a mobile handheld computer unit, which computer unit comprises a touch sensitive area, which touch sensitive area is divided into a menu area and a display area, which computer unit is adapted to run several applications simultaneously and to present an active application on top of any other application on the display area, the present invention teaches that the menu area is adapted to present a representation of a first, a second and a third predefined function, where the first function is a general application dependent function, the second function is a keyboard function, and the third function is a task and file manager. The present invention also teaches that any one of these three functions can be activated when the touch sensitive area detects a movement of an object with its starting point within the representation of the function on the menu area and with a direction from the menu area to the display area.

With the purpose of providing a simple way of managing any application or the operations system, the present invention teaches that if the first function is activated, the display area is adapted to display icons representing services or settings, depending on the current active application. One of the icons always represents a "help"-service, regardless of application. The icons are adapted to represent services or settings of the operations system of said computer unit, such as background picture, clock, users, help, etc. if no application is currently active on the computer unit.

Selections of preferred service or setting is done by tapping on corresponding icon

With the purpose of providing the access to a text input function in any application in the computer unit, the present invention teaches that when the second function is activated, the display area is adapted to display a keyboard and a text field,

If a text passage in an active application is highlighted, then this text passage is displayed in the text field for editing through the keyboard and that the highlighted text passage is replaced by the edited text passage when the second function is deactivated.

If no text passage in an active application is highlighted, then the text field is available for inputting and editing of text through the keyboard.

In the case of the latter the first function can be activated, or the second function can be closed, in which a choice of saving or deleting the inputted text is given. The choice of saving the inputted text results in an activation of the first function. In this case the first function will present services or settings available for the inputted text, such as saving the inputted text for later use, using the inputted text as telephone number in a telephone application, or sending the inputted text as message in communications application.

In order to provide a task and file management in a user interface for a handheld mobile computer, the present invention teaches that, if the third function is activated, the display area is adapted to display a list with a library of available applications and files on the computer unit. A selection of an application will start the application, and a selection of a file will open the file in an application intended for the file.

A selection of an application or a file is done by moving the object so that the representation of desired application or file

## US 8,812,993 B2

3

is highlighted, removing the object from the touch sensitive area, and then tapping on the touch sensitive area.

According to the present invention a navigation in the list is performed by moving the object in a direction towards the top of the list or towards the bottom of the list. This will cause the marking to move in the same direction. The speed of the movement of the marking is lower than the speed of the movement of the object, with the purpose of making the navigation easier.

The user interface of the present invention is specifically adapted to be used with a small computer unit where the size of the touch sensitive area is in the order of 2-3 inches. The user interface is also adapted to be operated by one hand, where the object can be a finger, such as the thumb, of a user of the computer unit.

## Advantages

Those advantages that can be primarily associated with a user interface or a computer readable medium according to the present invention reside in the ability to establish a user-friendly interface for small handheld computers, both regarding general application set-up functions, text input functions, and file and task management.

## BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described in more detail with reference to the accompanying drawings, in which

FIG. 1 is a schematic and highly simplified view of a touch sensitive area on a mobile handheld computer unit; FIG. 2 is a schematic side view illustrating the activation of a function;

FIG. 3 is a schematic illustration of a first function;

FIG. 4 is a schematic side view illustrating the selection of a service or setting represented by an icon;

FIG. 5 is a schematic illustration of a second function;

FIG. 6 is a schematic side view illustrating the selection of a third function;

FIG. 7 is a schematic illustration of an application or file;

FIG. 8 is a schematic illustration on how navigation is performed;

FIG. 9 is a schematic illustration of how the content of the display area is changed;

FIG. 10 is a schematic side view further illustrating how navigation is performed;

FIG. 11 is a schematic illustration of moving forwards in an application;

FIG. 12 is a schematic illustration of moving backwards in, or closing, an application;

FIG. 13 is a schematic illustration of an enclosure

FIG. 14 shows a computer readable medium in the form of a solid state memory.

DESCRIPTION OF EMBODIMENTS AT  
PRESENT PREFERRED

FIG. 1 illustrates a user interface for a mobile handheld computer unit. The user interface according to the present invention is specifically adapted to computer units comprising a touch sensitive area 1, which is divided into a menu area 2 and a display area 3. It should be understood that there are several different kinds of known touch sensitive displays and that the present invention does not depend on what kind of touch sensitive display that is used in relation to the inventive user interface.

The computer unit is adapted to run several applications simultaneously and to present an active application on top of

4

any other application on the display area 3. It should be understood that by simultaneously it is meant any technology that will make it appear to a user of the computer unit that applications are run simultaneously and that the present invention does not depend on how this is realised, whether it is through time-sharing of one processor, parallel use of several processors, or any other technique.

According to the present invention the menu area 2 is adapted to present a representation of a first 21, a second 22 and a third 23 predefined function.

The first function 21 is a general application dependent function, the second function 22 is a keyboard function, and the third function 23 is a task and file manager.

FIG. 2 shows that any one of these three functions 21, 22, 23 can be activated when the touch sensitive area 1 detects a movement of an object 4 with its starting point A within the representation of a function on the menu area 2 and with a direction B from the menu area 2 to the display area 3.

FIG. 3 shows that if the first function 21 is activated, then the display area 3 is adapted to display icons 211, 212, 213, 214, 215, 216 representing services or functions depending on the current active application. One of the icons, in the figure exemplified by icon 211, always represents a "help"-service, regardless of application. Any key that, because of lack of space on the display area, or because the key should be hidden from the active application, or because of any other reason is not shown on the display area of an active application, can be represented by one of the icons 212, 213, 214, 215, 216 that is shown when the first function 21 is activated.

If for instance the active application handles a picture, then the icons that are shown when the first function is activated can be services such as "save to disk", "send as SMS", or "delete" and they can be settings such as "resolution", "colour", or "brightness".

If no application is currently active on the computer unit, then the icons 211, 212, 213, 214, 215, 216 are adapted to represent services or settings of the operations system of the computer unit, such as background picture, clock, alarm 215, users 213, help 211, etc.

FIG. 4 shows that selection of a preferred service or setting is done by tapping C, D on corresponding icon 213.

FIG. 5 shows that if the second function 22 is activated, then the display area 3 is adapted to display a keyboard 221 and a text field 222.

Two different scenarios can be at hand when this function key is activated. A first scenario can be that a text passage in the active application is highlighted as the second function is activated. If this is the case then the highlighted text passage is displayed in the text field 222 for editing through the keyboard 221.

The highlighted text passage is replaced by the edited text passage when the second function 21 is deactivated.

A second scenario can be that no text passage in the active application is highlighted. If this is the case then the text field 222 is available for inputting and editing of text through the keyboard 221.

In the case of the latter scenario, the first function 21 can be activated, or the second function 22 can be closed. If the second function 22 is closed then a choice of saving or deleting the inputted text is given, where the choice of saving the inputted text results in an activation of the first function 21.

As the first function 21 is activated with the second function 22 as currently active application the first function 21 will present services or settings available for the inputted text, such as saving the inputted text for later use, using the inputted text as telephone number in a telephone application, or

## US 8,812,993 B2

5

sending the inputted text as message in communications application, such as e-mail, SMS, or fax.

FIG. 6 shows that if the third function 23 is activated, then the display area 3 is adapted to display a list 231 with a library of available applications and files on the computer unit.

A selection of an application will start the application, and a selection of a file will open the file in an application intended for the file. The name of a selected file can be edited by activation of the second function 22 as the file is highlighted.

FIG. 7 shows that a selection of an application or a file is done by moving E the object 4 so that the representation of desired application or file is highlighted, removing F the object 4 from the touch sensitive area 1, and then tapping G, H on the touch sensitive area 1.

An application or file is highlighted by placing some kind of marking 232 on the representation of the application or file. This marking can be done in different ways, for example by putting a frame around the representation of the application or file, as shown in the figure, or by inverting the representation of the application or file.

It should be understood that all lists in the computer unit, such as a list of contact information in an address book, a list of e-mail messages in a mailbox, or a telephone log, can be managed in the above described manner.

The list 231 can be adapted to present only files or only applications. In this case, the top area of the list 231 can present a field 233 through which the content of the list 231 can be altered. If the list only presents files, then the field 233 can display a representation of a task manager and a selection of the field 233 will cause the list 231 to after to present only applications, and if the list 231 only presents applications, then the field 233 displays a representation of a file manager and a selection of the field 233 will cause the list 231 to after and present only files.

FIG. 8 shows that navigation in the list is performed by moving the object 4 in a direction I towards the top 231a of the list 231 or towards J the bottom 231b of the list 231. This movement I, J of the object 4 will cause the marking 232 to move K, L in the same direction. The speed of the movement K, L of the marking 232 is lower than the speed of the movement I, J of the object 4.

FIG. 9 shows that if the number of applications and/or files in the list 231 exceeds the number of applications and/or files that can be presented on the display area 3, and if the object 4 is moved to the top or bottom position of the display area, then lifted, replaced on the display area, and then again moved to the top or bottom of the display area, then the content of the display area will be replaced one whole page, meaning that if the object 4 is positioned N at the bottom 3b of the display area 3, then lifted, replaced on the display area 3, and then again moved M to the bottom 3b of the display area 3, then the content 31 of the display area 3 will be replaced P by the following applications and/or files 32 in the list 231. In the same way, but not shown in the figure, if the object is positioned at the top of the display area, then lifted, replaced on the display area 3, and then again moved to the top of the display area, the content of the display area will be replaced by the preceding applications and/or files in the list.

FIG. 10 shows that if the object 4 is removed Q from a first position 33 on the display area 3 and then replaced R, S on a second position 34 on the display area 3, then the navigation can be continued T from the second position 34.

FIG. 11 shows that moving U the object 4 from the left of the display area 3 to the right of the display area 3 moves the active application, function, service or setting on one step forwards. FIG. 12 shows that, in a similar manner, the active

6

application, function, service or setting is closed or backed one step by moving V the object 4 from the right of the display area 3 to the left of the display area 3.

As shown in FIG. 1, the menu area 2 is positioned at the bottom of the touch sensitive area 1. The representation of the first function 21 is positioned at the left side of the menu area 2, the representation of the second function 22 is positioned at the middle of the menu area 2, and the representation of the third function 23 is positioned at the right side of the menu area 2.

As shown in FIG. 13, the present invention relates to a user interface for a hand held mobile unit that preferably can be manageable with one hand. Hence the present invention teaches that the user interface is adapted to a touch sensitive area 1 with a size that is in the order of 2-3 inches, meaning the diagonal distance W between two corners of the touch sensitive area 1.

The user interface is adapted to be operated by one hand, where the object 4 can be a finger, such as the thumb shown in the figures, of a user of the computer unit. It should be understood though that the present invention might also be used with another object, such as a pen or other pointing device.

According to one preferred embodiment of the present invention the computer unit is covered with an enclosure 5, which is provided with an opening 51 for the display area 3, and where the representations of the menu area 2 is printed on top of the enclosure 5. It should be understood that the opening 51 might be a transparent part of the enclosure 5 or that it might be an open aperture depending on among other things technical considerations pertaining to the touch sensitive area 1.

This makes it possible to allow the enclosure 5 to be removable and exchangeable.

FIG. 14 shows a computer readable medium, in the figure schematically shown as a solid-state memory 61. A computer program product is stored within the computer readable medium. This computer program product comprises computer readable code 62, which, when read by a computer 6, will make it possible for the computer 6 to present a user interface according to the present invention.

The present invention also teaches that the computer program product is adapted to function as a shell upon an operations system.

It will be understood that the invention is not restricted to the aforescribed and illustrated exemplifying embodiments thereof, and that these embodiments can be modified within the scope of the inventive concept illustrated in the accompanying claims.

The invention claimed is:

1. A non-transitory computer readable medium storing instructions, which, when executed by a processor of an electronic device having a touch-sensitive display screen, cause the processor to enable a user interface of the device, the user interface comprising at least two states, namely, (a) a tap-present state, wherein a plurality of tap-activatable icons for a respective plurality of pre-designated system functions are present, each system function being activated in response to a tap on its respective icon, and (b) a tap-absent state, wherein tap-activatable icons are absent but an otherwise-activatable graphic is present in a strip along at least one edge of the display screen for transitioning the user interface from the tap-absent state to the tap-present state in response to a multi-step user gesture comprising (i) an object touching the display screen within the strip, and (ii) the object gliding on the display screen away from and out of the strip.

2. The computer readable medium of claim 1, wherein any state transition elicited by a user gesture that begins at a

US 8,812,993 B2

7

8

location at which the otherwise-activatable graphic is provided, transitions to the tap-present state.

3. The computer readable medium of claim 1, wherein the tap-present state does not display the tap-activatable icons within a window frame.

5

4. The computer readable medium of claim 1, wherein the plurality of pre-designated system functions comprises a help function.

5. The computer readable medium of claim 1, wherein the plurality of pre-designated system functions comprises a clock function.

10

6. The computer readable medium of claim 1, wherein the plurality of pre-designated system functions comprises an alarm function.

7. The computer readable medium of claim 1, wherein the strip is less than a thumb's width wide within the display screen.

15

8. The computer readable medium of claim 1, wherein the multi-step user gesture comprises (i) the object touching the otherwise-activatable graphic, and (ii) the object gliding on the display screen away from and out of the strip.

20

\* \* \* \* \*